Bristol Avon Impact Study




History

Original fish from the River Kennet

Stockings in 1964, 1966 and 1969

 Most large barbel that we have been fishing for, are 30-35 years old and from this stocking.





The 90's

Fishing 3-4 times per week

Average catches 100 – 150 fish per season

Understanding wife.

Job – with an understanding boss



FISHING SEASON 16 JUNE - 14 MARCH 1993/94

DATE	WEIGHT		LENGTH	BAIT	WEATHER	WATER	I.D	COMMENTS	
AT 19/6	6	11	-	worm	WORM	16-50 1905	_	12-20 am Chipp + 1 for works	
1 was 24/6	S	13	-	minT	MORN CHA	16 .4° Cusor	_		
24/6	7	15	-	mfat			-		
24/6	10	01	29-5"	MEAT	-n-		_	1201 5	
128/6	7	03	-	NIAT	MONTH MIGHT	19-20 CLERK	_	I BISTIE LOST	
2716	9	FO.	29:00	mie T -	- 11		_		
30/6	7	01	-	MAT	V.WARM	21-4 Carac	Sput oursal	coos on charp.	
9000	8	00	-	MOST	- 11 -	- 11 -	SCOR VEFT SIDE	The same of the sa	
E101 75	7	109	-	HAMP OILL	cas Night	WOWN - PREST	+ apunial recor		
ED14/7	6	12	-	TANDONI	worm muser	Pars 24 Hours	+ STIT PECAL	the contract of the contract o	
AT24/7	11	06	30 x 17/2	TIKKA MEAT	mussingsmp.	18-8°C LOW	MIMT ETES		
1028/7	5	03	_	- 11	WITTER WINGS	173°C Wyforz	SOOD MICK	33 1 = 21	
101/8	9	00	26/2 × 16	_ 11	COL BASIN	19.86 citon	Busin spatial		
102/8	10	14	30" < 17"	- n -	שמיו שואסק	18 °C Com	I BONDE MINE	02-10 SHOURM (TOP SWIM)	
318	8	03		sman Tikka miat	word cm2	- 4	HOD ON TOKE FIN	23-20 SLOWERY (THE SWIP)	
- 10/8	9	10	28 × 1614		MIND-10RY	16-9° Ving	HE SOME RIGHT	DS DS SHOUSH	
E1218	9	1/202	28/2 16	TIME MIST	12°C 1001	10 4 6 600	BUCK WALL	20.15 SHOWEN (QUINSULA)	
01718	7	-		- "FUT	onek ooek	VILOU	LOS DETT TOIL	21-50 PECKINGEN	
1519		13	-		coul on	Odbiens	which could be ??		
-	6	01	-	FALSE CITET	Warm Jan 7	17.6°C12"4	LEFT FLASS	MINIS POS POLE . MAN . CO. FI	
1109	6	03			Worm leany.	TP I FORT	30 7 8-01	22 -15 SHOURY - WOODS	
- 4/10	7	12	-	mia-7	colo, jame	propers	BEAT BACK	22-00 PEULISEM	
1/11/11	4	00	-	MEAT (P)	cost, DR-	Low Cupit		20.00 (Tu)	
h lan	3	05	-	ment (4)	FEGUE	73°COURSEY			
liz/	4	12	-	mint (a)	colon	q 2° Court	-	9.00 m (T. W	
In L	5	08	-					8 mapor (T.u)	
112	3	09	-		Minonyzeric.	9-0 marcy	Tay cont	8.45 (7.4)	
112	7	12	-	-4-			u with count	9 ad (T.w)	
	5	00		Taidmen	ROWING	6.2°C	-	5-00pm (PECKISSEM)	
112	1	13	_		Share a	6-1°C	GRAPE		
1	6	00		MINT 4	CHEST COLO	6.6° Clar	viction	545pm (T.H)	

My First Otter Sighting Sep 1994

Bradford –On Avon, Wiltshire

1 X pair Adult Otters (very timid)


My First Otter Sighting Sep 1994

Bradford –On Avon, Wiltshire

1 X pair Adult Otters (very timid)

Dec 1994 Both found dead (hit by a train)


Otter trust informed.










1992 -2000 Spawning Fish







1992 - 2007



2007

Two things happened.

1 - July 2007 - Summer Floods

2007

Two things happened.


1 - July 2007 - Summer Floods

2 – Otters "arrived"

24th Oct 2007!

- 5x Otters spotted
- Venue 1 (1.5 miles)
- 1 x Dog otter, + 2 x adult presumed females.
- Venue 2 (0.5 miles)
- 2 x Adults
- 5 In one day! Natural Evolution? A Miracle?

1992 - 2009



OTTERS COULD WIPE OUT OUR RIVER BARBEL

March 17, 2009

The next decade could spell the end of the country's barbel unless a solution to the rapidly growing otter problem is found, experts have warned this week.

Calls have come for meetings and discussion groups between angling and nature organisations as Angling Times unearthed evidence of yet more venues that are being wiped out by the country's biggest mammalian predator, including the upper River Thames and several of its tributaries.

Some anglers, including AT columnist Martin Bowler, have even suggested that otters are having the same impact on specimen river fish as cormorants had on roach. The otter threat has come to prominence in recent years with the decimation of the former British record barbel stretch of the Great Ouse at Adam¹s Mill, and the killing of several known double-figure fish on the Wensum.

"It's Armageddon. The Ouse has gone, the Wensum and the Thames are next, and the Loddon and Kennet will follow," warned Martin.

"Nobody is taking this seriously enough. On the rivers I target, I can find a fish carcass within five minutes of looking. Otters are on the increase and they're getting much bolder. A friend of Terry Lampard's recently had a tug of war with one after it grabbed his keep sack containing a 7lb Stour chub," he added.

Also leading the calls for talks is respected Thames big-fish angler John Everard. John has stopped fishing for barbel on the Upper Thames and its tributaries, such as the Windrush and the Cherwell, because it's now pointless.

"We need an open debate between angling organisations and conservation groups interested in otters on how bringing back one species is having a detrimental effect on another," insisted John.

"Anglers are conservationists. We want to see otters become re-established, but a workable solution must be found. Barbel are particularly vulnerable to otters during the spawning season when they make for easy pickings," he said.

But Barbel Society chairman Steve Pope warns that anglers must tread very carefully on the subject of otters.


"The public perception of angling is currently one of our strong points but if we give out the wrong impression, anglers could quickly become public enemy number one.


Summary of results for each catchment

Bristol Avon (104)

Main survey	1977-79	1984-86	1991-94	2000-02	2009-10
Positive sites/total	0/15	0/15	0/15	1/15	10/15

There has been a significant increase in positive sites in this catchment. In addition the alternate squares spot-checks show that otters are now widespread. No otter signs were found on the estuary or in Bristol itself but there have been reliable reports of otters within the city limits (J. Field *pers. comm.*).






14th Dec 2009 - 1st "ottered fish"

- 14th Dec 2009 to 14th March 2010– 8 Dead barbel found. Plus carp and pike.
- 6 over 10lb+ (15lb 2oz largest).



1992 - 2018



Self Funded, Private Barbel Re-Stocking

Nov 2010 - 168 x 10" Barbel purchased. £1850.

 Section 30 to stock into "control stretch", 1.5 miles length, good habitat.

Historically, only 6 known barbel present.

Results:

6 x Cormorants arrived and stayed throughout the cold 2010 winter.

4 x Otters in residence (2 x Adults + 2 x Cubs) 6 x Cormorants arrived and stayed throughout the cold 2010 winter.

4 x Otters in residence (2 x Adults + 2 x Cubs)

No. of original six barbel, as of Apr 2018 = 1

6 x Cormorants arrived and stayed through the cold 2010 winter.

4 x Otters in residence (2 x Adults + 2 x Cubs)

- No. of original six barbel, as of Apr 2018 = 1
- No. of "168 stocked" barbel seen or caught from 2010 to 2018 = 0

Small rivers such as Bristol Avon are perfect for otters!

- Small rivers such as Bristol Avon are perfect for otters!
- The original stock, already reduced by the 2007 floods, were easy targets in cold winters of 2009 & 2010, plus the barbel had little or no natural awareness of the threat posed by otters, resulting in a 125 to 8 (96%) reduction in barbel stock.

- Small rivers such as Bristol Avon are perfect for otters!
- The original stock, already reduced by the 2007 floods, were easy targets in cold winters of 2009 & 2010, plus the barbel had little or no natural awareness of the threat posed by otters, resulting in a 125 to 8 (96%) reduction in barbel stock.
- Natural spawning and holding areas are now silting up in many places.

- Small rivers such as Bristol Avon are perfect for otters!
- The original stock, already reduced by the 2007 floods, were easy targets in cold winters of 2009 & 2010, plus the barbel had little or no natural awareness of the threat posed by otters, resulting in a 125 to 8 (96%) reduction in barbel stock.
- Natural spawning and holding areas are now silting up in many places.
- I am counting more otters on the river than barbel.